



REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188					
<small>Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.</small>								
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE December 1994	3. REPORT TYPE AND DATES COVERED Final report						
4. TITLE AND SUBTITLE GEOMORPHOLOGY AND QUATERNARY GEOLOGIC HISTORY OF THE LOWER MISSISSIPPI VALLEY		5. FUNDING NUMBERS						
6. AUTHOR(S) Roger T. Saucier								
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Earthquake Engineering and Geosciences Division U.S. Army Engineer Waterways Experiment Station Geotechnical Laboratory 3909 Halls Ferry Road, Vicksburg, MS 39180-6199		8. PERFORMING ORGANIZATION REPORT NUMBER						
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Corps of Engineers Mississippi River Commission 1400 Walnut St., Vicksburg, MS 39180		10. SPONSORING/MONITORING AGENCY REPORT NUMBER NTIS CRA&I <input checked="" type="checkbox"/> DTIC TAB <input type="checkbox"/> Unannounced <input type="checkbox"/> Justification _____						
11. SUPPLEMENTARY NOTES		By _____ Distribution / _____						
12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution is unlimited		12b. DISTRIBUTION STATEMENT CODES <table border="1"> <tr> <td>Dist</td> <td>Avail and/or Special</td> </tr> <tr> <td>A-1</td> <td></td> </tr> </table>			Dist	Avail and/or Special	A-1	
Dist	Avail and/or Special							
A-1								
13. ABSTRACT (Maximum 200 words) <p>This comprehensive, two-volume synthesis, the first in 50 years, is aimed at a multidisciplinary audience concerned with multiple aspects of water resources engineering and natural and cultural resources management. It presents at a scale of 1:250,000 the distribution of environments of deposition as compiled from more than 30 years of detailed geologic mapping, as well as a new interpretation and delineation of the eroded suballuvial surface. A detailed interpretation of the evolution of the alluvial valley and deltaic plain is presented and illustrated by a series of 13 paleogeographic reconstructions. The chronology of valley events is based on stratigraphic relationships and radiometric age determinations but relies heavily on archeological evidence.</p> <p>The geologic processes and controls that affect the entire region include continental glaciations, climate, sea level variations, tectonics and diapirism, and subsidence. Both erosional and depositional landscapes are represented, and the lithology, soils, and geotechnical properties of the latter are presented in narrative and tabular form for the principal fluvial, lacustrine, eolian, deltaic, and deltaic-marine environments. Discussions of neotectonics in the region focus on the New Madrid Seismic Zone, and a section of the synthesis addresses special engineering considerations such as groundwater occurrence, mass movements, river meandering, and long-term stability.</p>								
14. SUBJECT TERMS Chronostratigraphy Geomorphology Lower Mississippi Valley Engineering geology Geotechnical properties Quaternary geology			15. NUMBER OF PAGES					
			16. PRICE CODE					
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT					


DISCLAIMER NOTICE



**THIS DOCUMENT IS BEST
QUALITY AVAILABLE. THE
COPY FURNISHED TO DTIC
CONTAINED A SIGNIFICANT
NUMBER OF PAGES WHICH DO
NOT REPRODUCE LEGIBLY.**



**US Army Corps
of Engineers**



KY
TN

Memphis
TN
MS

**GEOMORPHOL
AND QUATERN
GEOLOGIC HIS
OF THE LOWE
MISSISSIPPI
VALLEY**

**PHOLOGY
TERNARY
IC HISTORY
OWER
PPI**


Prepared for:

The President
Mississippi River Com
Vicksburg, Mississippi

~~ARK~~
~~LA~~

Monroe

Commission ippi



THE SUBALLUVIAL SURFACE

Prepared by
Roger T. Saul


U.S. Army Engineer
Waterways Experiment
Station

Vicksburg, Mississippi

December 1964

Volume II

on Rouge




DISTRIBUTION STATEMENT A

Approved for public release;
Distribution Unlimited

ed by

T. Saucier



Army Engineer
ways Experiment

7

burg, Mississippi

ber 1994

e II

19950911 030

STATEMENT A

olla release?
unlimited

- 1 Physiographic Features.
- 2 Outcrops and Subcrops of Major Upland Formations.
- 3 Index to Plates and Quads.
- 4 Quaternary Deposits, Paducah-Rolla Sheet.
- 5 Quaternary Deposits, Dyersburg-Poplar Bluff Sheet.
- 6 Quaternary Deposits, Blytheville-Memphis Sheet.
- 7 Quaternary Deposits, Helena-Little Rock Sheet.
- 8 Quaternary Deposits, Greenwood-El Dorado Sheet.

Plates

- 15 Hypsometry of the Suballuvial Surface.
- 16 Typical Cross Sections.
- 17 Configuration of Suballuvial Surface, Paducah
- 18 Configuration of Suballuvial Surface, Dyersbu
- 19 Configuration of Suballuvial Surface, Blythevi
- 20 Configuration of Suballuvial Surface, Helena-l
- 21 Configuration of Suballuvial Surface, Greenwo
- 22 Configuration of Suballuvial Surface Jackson

face.

ce, Paducah-Rolla Sheet.

ce, Dyersburg-Poplar Bluff Sheet.

ce, Blytheville-Memphis Sheet.

ce, Helena-Little Rock Sheet.

ce, Greenwood-El Dorado Sheet.

ce, Jackson-Shreveport Sheet

- 7 Quaternary Deposits, Helena-Little Rock Sheet.
- 8 Quaternary Deposits, Greenwood-El Dorado Sheet.
- 9 Quaternary Deposits, Jackson-Shreveport Sheet.
- 10 Quaternary Deposits, Alexandria-Natchez Sheet.
- 11 Quaternary Deposits, Lake Charles-Baton Rouge Sheet.
- 12 Quaternary Deposits, Baton Rouge-Mobile Sheet.
- 13 Quaternary Deposits, Port Arthur-New Orleans Sheet.
- 14 Quaternary Deposits, New Orleans-Breton Sound Sheet.

- 21 Configuration of Suballuvial Surface, Greenwo
- 22 Configuration of Suballuvial Surface, Jackson-
- 23 Configuration of Suballuvial Surface, Alexand
- 24 Configuration of Suballuvial Surface, Lake Ch
- 25 Configuration of Suballuvial Surface, Baton R
- 26 Configuration of Suballuvial Surface, Port Art
- 27 Configuration of Suballuvial Surface, New Or
- 28 Paleogeographic Reconstructions for Key Peri

ce, Helena-Little Rock Sheet.

ce, Greenwood-El Dorado Sheet.

ce, Jackson-Shreveport Sheet.

ce, Alexandria-Natchez Sheet.

ce, Lake Charles-Baton Rouge Sheet.

ce, Baton Rouge-Mobile Sheet.

ce, Port Arthur-New Orleans Sheet.

ce, New Orleans-Breton Sound Sheet.

or Key Periods.

92°




OZARK

MISSOURI
—
ARKANSAS

PLATEAU

36°



90°

MO
ILL

Cairo

MISSOURI
ARKANSAS

ESCARPMENT

OZARK

CROWLEYS
RIDGE

PLAIN

BASIN

Jonesboro

MALDEN

FRANCIS
River

M1

LOWLANDS

12

ST.

6

3

1

8

16

7

2

5

6

20

17

11

4


23


5

14

6

2





— 34°

ARKANSAS

LOUISIANA

Little Rock

Pine Bluff

LOWLAND
ARKANSAS

Arkansas
River

GRAND
PRAIRIE

24


A6


BASIN
BRIDGE

2

F

M





ENNESSEE MISSISSIPPI

PHYSIOGRAPHIC FEATURES (MAJOR FEATURES LABELED ON MAP)

PRE-WISCONSIN STAGE UPLANDS

- 1 Avery Island
- 2 Bastrop Hills
- 3 Belle Isle
- 4 Commerce Hills
- 5 Cote Blanche Island
- 6 Hickory Ridge
- 7 Jefferson Island
- 8 Sicily Island
- 9 Weeks Island

WISCONSIN AND HOLOCENE STAGE UPLANDS AND RIDGES

- 1 Big Creek Escarpment
- 2 Charleston Fan
- 3 Flatwoods Terrace
- 4 Marksville Hills
- 5 Sikeston Ridge
- 6 Tiptonville Dome

WISCONSIN AND HOLOCENE STAGE LOWLANDS AND GAPS

- 1 Advance Lowland
- 2 Bell City-Oran Gap
- 3 Black River Lowland
- 4 Bogue Phalia Basin
- 5 Cache Lowland

HOLOCENE MEANDER BELTS

Mississippi River

- 1 Modern
- 2 Fifteen Mile Bayou
- 3 Yazoo
- 4 Walnut Bayou
- 5 St. Francis
- 6 Sunflower
- 7 Cocodrie
- 8 Teche
- 9 Big Creek
- 10 Bear Creek
- 11 Little Mound Bayou
- 12 Tensas
- 13 Bayou Portage
- 14 Coldwater
- 15 South Lake

Arkansas River

- 1 Modern
- 2 Plum Bayou
- 3 Bayou Bartholomew
- 4 Lighterwood Bayou
- 5 Bonne Idee
- 6 Bakers Bayou
- 7 Choctaw Bayou
- 8 Joe's Bayou

ARKANSAS
LOUISIANA


32°


RED RIVER
VALLEY

Alexandria

Monroe

Natchez





- Stikston Ridge
- Tiptonville Dome
- SCONSIN AND HOLOCENE ST**
- LOWLANDS AND GAPS**
- Advance Lowland
- Bell City-Cran Gap
- Black River Lowland
- Bogue Phalia Basin
- Cache Lowland
- Cache River Floodplain
- Cairo Lowland
- Castor River Gap
- Catahoula Lake Basin
- Dismal Swamp Lowland
- Drum Lowland
- Little River Lowland
- Marianna Gap
- Metropolis Lowland
- Moncla Gap
- Morehouse Lowland
- Obion-Forked Deer Basin
- Cuachita River Lowland
- Guiver River Lowland
- Reelfoot Lake Basin
- St. Francis River Gap
- Tallahatchie Basin
- Thebes Gap
- White River Lowland

Sikeston Ridge

Tiptonville Dome

**SCONSIN AND HOLOCENE STAGE
LOWLANDS AND GAPS**

Advance Lowland

Bell City-Oran Gap

Black River Lowland

Bogue Phalia Basin

Cache Lowland

Cache River Floodplain

Cairo Lowland

Castor River Gap

Catahoula Lake Basin

10 Dismal Swamp Lowland

11 Drum Lowland

12 Little River Lowland

13 Marianna Gap

14 Metropolis Lowland

15 Moncla Gap

16 Morehouse Lowland

17 Obion-Forked Deer Basin

18 Ouachita River Lowland

19 Quiver River Lowland

20 Reelfoot Lake Basin

21 St. Francis River Gap

22 Tallahatchie Basin

23 Thebes Gap

24 White River Lowland

South Lake

Arkansas River

A1 Modern

A2A Plum Bayou

A2B Bayou Bartholomew

A3A Lighterwood Bayou

A3B Bonne Idee

A4A Bakers Bayou

A4B Choctaw Bayou

A4C Joe's Bayou

A4D Cross Bayou

A5A Crooked Bayou

A5B Gourd Bayou

A6 Bayou Macon

A7 Bayou Meto

A8 Boggy Bayou

Red River

R1 Modern

R2A Bayou Boeuf

R2B Bayou des Glaises

R3A Chatlin Lake

R3B Bayou Cocodrie

R5 Indian Bayou

R6A Bayou du Lac

R6B Bayou Petite Prairie

MAJOR DISTRIBUTARIES

Bayou des Familles

Bayou la Loutre

Black Bayou

Blue Lake


Deer Creek


Bayou Lafourche

Metairie Bayou – Bayou Sauvage

Roundaway Bayou

Snake Creek







GEOMORPHOLOGY AND
QUATERNARY GEOLOGIC HISTORY
OF THE LOWER MISSISSIPPI VALLEY

PHYSIOGRAPHIC FEATURES

92°



NOTE: SUBCROPS OF FORMATIONS BENEATH
WISCONSIN STAGE AND HOLOCENE
DEPOSITS OF THE ALLUVIAL VALLEY
AND DELTAIC AND CHENIER PLAINS
SHOWN BY SCREENED EFFECT.

M
AR

36°


O2


M

uk


Ti


P





— 34°







ERA	SYSTEM



Te2


ERA	SYSTEM	SERIES	GROUP	FORMATION OR UNIT	SYMBOL
		Holocene		Alluvium	
				Valley trains	






				Valley trains	
Cenozoic	Quaternary	Pleistocene		Deweyville Complex	Qd
				Prairie Complex	Qp
				Intermediate Complex	Qi
				Upland Complex	Qu
	Tertiary	Miocene			Tm
		Oligocene			To
		Eocene	Jackson		Te3
			Claiborne		Te2
			Wilcox		Te1
		Paleocene	Midway		Tx
Mesozoic	Cretaceous				uk
Paleozoic	Pennsylvanian				P
	Mississippian				M
	Ordovician	Cincinnatian			O3
		Mohawkian			O2
		Canadian			O1b
					O1a





GULF OF MEXICO



Paleozoic

Cincinnatian

O3

Ordovician

Mohawkian

O2

Canadian

O1b

O1a



GEOMORPHOLOGY AND
QUATERNARY GEOLOGIC HISTORY
OF THE LOWER MISSISSIPPI VALLEY

OUTCROPS AND SUBCROPS OF MAJOR UPLAND FORMATIONS


92°



15 MINUTE SERIES
USGS TOPOGRAPHIC QUADRANGLES
(1:62,500 - SCALE)

PLATE
DYERSBUR
POPLAR BL

36°



90°

PLATE 4 PADUCAH - ROLLA

PLATE 5 PADUCAH - ROLLA POPLAR BLUFF




PLATE 6 BLYTHEVILLE - MEMPHIS




PLATE 6
BLYTHEVILLE - MEMPHIS

PLATE 7 HELENA - LITTLE ROCK

Little Rock

34°

PLATE 8 GREENWOOD - EL DORADO




PLATE 6
BLYTHERVILLE - MEMPHIS





PLATE 6
BLYTHEVILLE - MEMPHIS


32°

**PLATE 10
ALEXANDRIA - NATCHEZ**


Alexandria

**PLATE 11
LAKE CHARLES -**





**PLATE 9
JACKSON - SHREVEPORT**



**PLATE 12
BATON ROUGE - MOBILE**

DRT

PLATE 12
ON ROUGE - MOBILE

**PLATE 11
LAKE CHARLES -
BATON ROUGE**

Lafayette

30°

**PLATE 13
PORT ARTHUR - NEW ORLEANS**

PLATE 12
BATON ROUGE - MOBILE




PLATE 12
ON ROUGE - MOBILE




PLATE 14
NEW ORLEANS - BRETON SOUND

GEOMORPHOLOGY AND
QUATERNARY GEOLOGIC HISTORY
OF THE LOWER MISSISSIPPI VALLEY

**INDEX TO PLATES
AND QUADS**

Holocene Units (Alluvial Valley)

Hal

Undifferentiated alluvium of small streams.

Hpm 1-6

Point bar (meander scroll) deposits of Mississippi River of different ages separated by hachured lines.

Hchm

Abandoned channels (neck and chute cutoffs).

Hcom

Abandoned courses of the Mississippi River and subsequent small streams. Includes trunk channels.

Hpa 1-8

Point bar (meander scroll) deposits of Arkansas River.

Hpr 1-5

Point bar (meander scroll) deposits of Red River.

Hps

Point bar (meander scroll) deposits of small streams.

Hpu

Point bar (meander scroll) and associated deposits.

QUATERNARY

ley)

small streams.

deposits of Mississippi River meander belts 1 to 6. Meander belts
/ hachured lines with tick marks on the older meander belt side.

and chute cutoffs) of the Mississippi River.

Mississippi River. Projected where removed by lateral migration of
includes trunk channels of the major delta complexes.

deposits of Arkansas River meander belts 1 to 8.

deposits of Red River meander belts 1 to 5.

deposits of small streams.

and associated deposits of meander belts buried by backswamp

Holocene

Hnl

Had

Hdi

Hds

Hdlp

Hc

QUATERNARY DEPOSITS OF THE LOWER MISSISSIPPI

LEGEND

PLATES 4 TO 14

Holocene Units (Deltaic and Chenier Plains)

Hnl

Natural levees in the deltaic plain associated with major distributaries and the Mississippi River. Delineated where natural levees overlie interdistributary and point bar deposits, but not point bar deposits.

Natural levees not delineated in the alluvial valley because of their widespread distribution.

Had

Principal abandoned deltaic distributaries of the Modern (M), Plaquemines (P), St. Bernard (B), and Teche (T) delta complexes (delta lobes). (U) denotes deltaic association not known.

Hdi

Interdistributary deposits. Represents brackish to saline marsh environments.

Hds

Inland swamp deposits. Represents freshwater swamp environment.

Hdlp

Lacustrine and lacustrine deltaic deposits of the Atchafalaya Basin.

Hc

Cheniers and relict beach ridges.

MISSISSIPPI VALLEY

tributaries and the present
interdistributary and other deltaic

e of their widespread and complex

l), Plaquemines (P), Lafourche (L),
es). (U) denotes deltaic complex

marsh environments.

nvironment.

ya Basin.




Late Wisconsin Stage valley tr



Early Wisconsin Stage valley t




Sand dune fields and eolian d




Point bar (meander scroll) dep



Abandoned channels (cutoffs)




Lacustrine deposits of the Dew
bars and Level 2 includes lake



Undifferentiated fluvial deposits



Undifferentiated fluvial deposits



Undifferentiated fluvial deposits

Stage valley trains where levels are not separately delineated.

Stage valley trains where levels are not separately delineated.

Is and eolian deposits on valley trains.

der scroll) deposits of the Deweyville Complex.

nnels (cutoffs) of the Deweyville Complex.

isits of the Deweyville (Lake Monroe) Complex. Level 1 includes beaches and
2 includes lake plain remnants.

fluvial deposits of the Deweyville Complex.

fluvial deposits of the Cache River terrace.

Hpu

Point bar (meander scroll) and associated deposits.



Abandoned channels (neck and chute cutoff rivers).




Abandoned courses of the Arkansas (A), Re (W), and smaller (S) rivers.

Hb

Backswamp (floodbasin) deposits.

Haf

Alluvial fans and aprons along valley margin such as point bar or backswamp.



deposits of small streams.


and associated deposits of meander belts buried by backswamp

and chute cutoffs) of the Arkansas, Red, Black, White, and smaller


Arkansas (A), Red (R), Black/St. Francis (B-SF), Black (B), White


deposits

along valley margins. Shown as overprint on underlying deposits, backswamp.



Pleistocene






Cheniers and relict beach ridges.



Undifferentiated paludal deposits of the chenier plain. Represents brackish to freshwater environments.

Pleistocene Units





Late Wisconsin Stage valley train Levels 1 and 2. Includes both interfluvial and relict channels unless channels delineated separately.



Relict channels of Late Wisconsin Stage valley train. Delineated only on Level 1.



Early Wisconsin Stage valley train Levels 1 to 5. Interfluvial and relict channels separately delineated.



presents brackish to saline marsh

s both interfluvial and relict

reached only on Level 2.

es and relict channels not

Ptc

Undifferentiated fluvial deposits

Ptu

Undifferentiated fluvial deposits

Ppp 1-2

Point bar (meander scroll) deposits
Probable Wisconsin Stage. Two

Ppch

Abandoned channels (cutoffs) and
the Prairie Complex. Probable

Ppu 1-2


Undifferentiated fluvial deposits
deposits of the Mississippi, Arkansas



Abandoned channels and courses
Complex, and of the Black/St. F

Pi

Undifferentiated fluvial deposits




Scale Miles

30 Kilometers

15 Nautical Miles

vial deposits of the Intermediate Complex.








91°00'


45'


50'


























GEOMORPHOLOGY AND
QUATERNARY GEOLOGIC HISTORY
OF THE LOWER MISSISSIPPI VALLEY


QUATERNARY DEPOSITS


MEMPHIS-POPLAR BLUFF SHEET























15°

90° 00'



























PLATE 7


34°00'


15'


92°00'





WH XH















Scale 1:250,000








45'


30'


Hpm
2 JUMP
174700















30°


15

33°00'












32°00' 5' 93°00'







15'


92°00'






91° 00'
32° 00'










31°00


45'


30' +
















GEOMORPHIC
 QUATERNARY GEOGRAPHY
 OF THE LOWER MISSISSIPPI

QUATERNARY
 LAKE CHARLES-BATOUMAL






91°00'
31°00'

45'


45'

30'




30'

15'




90°00'

45'



30'


15'




15'

89°00'

31°00'






30'

15'

30°00'
91°00'


45'






90°00'


45'


Scale 1:250,000






























Scale 1:250,000

20 Statute Miles

30 Kilometers


10 Nautical Miles



45'

30'

QU
POR




GEOMORPHOLOGY AND
QUATERNARY GEOLOGIC HISTORY
OF THE LOWER MISSISSIPPI VALLEY


QUATERNARY DEPOSITS


PORT ARTHUR-NEW ORLEANS SHEET


91°00'
30°00'



















30

15






AND
HISTORY
PI VALLEY


EPOSITS


SOUND SHEET


1




WEST DELTA
AREA







Scale 1:250,000








PLATE 14

**CONTROL
POINTS**





4,100,000

4,000,000

3,900,000

3,800,000

3,700,000


L
R

A
I

0 20
MILES

Poplar
Bluff

MO
AR





Memphis
TN
MS

Little
Rock

AR
LA


COMPUTER
CONTOURING








Memphis
TN
MS

COMPUTER CONTOURING














GEOMORPHOLOGY AND
QUATERNARY GEOLOGIC HISTORY
OF THE LOWER MISSISSIPPI VALLEY

**HYPSONOMETRY OF THE
SUBALLUVIAL SURFACE**






A**B**




A'









B'






















NOTES: See Plate 4 for key to map units.

Topstratum not differentiated according to depositional environments in alluvial valley area (Sections A-A' to F-F').



GEOMORPHOLOGY AND QUATERNARY GEOLOGIC HISTORY OF THE LOWER MISSISSIPPI VALLEY TYPICAL CROSS SECTIONS









IONS

Y








91° 00'
38° 00'


45'

30'

45'

30'






90° 00'

45'


30'



30'

15'


88° 00'






88° 00'



45'


36° 00'











GEOMORPHOLOGY AND
QUATERNARY GEOLOGIC HISTORY
OF THE LOWER MISSISSIPPI VALLEY


CONFIGURATION OF SUBALLUVIAL SURFACE

PADUCAH-ROLLA SHEET

37°00'

15'


91°00'



91°00'

45'


30'



30'


15'


90°00'




90°00'


45'







37 00











Scale 1:250,000






Upl
NOTE: Cor
Cor

GEOMC
QUATERNAR
OF THE LOWE

CONFIG
SUBALLU
DYERSBURG-P



NOTE: Contours in feet, msl
Contour interval = 25 ft

GEOMORPHOLOGY AND
QUATERNARY GEOLOGIC HISTORY
OF THE LOWER MISSISSIPPI VALLEY

CONFIGURATION OF SUBALLUVIAL SURFACE


DYERSBURG-POPLAR BLUFF SHEET

36°00'

45'


30'


1



15'

91°00'








15'


90°00'

45'











Scale 1:250,000






15'


92°00'

35°00'

45'

30'






15'

91°00'

45'





45'



30'

15













Scale 1:250,000





45'

30'




PLATE 20


34°00'

15'

92°00'


45'

30'




45'

30'



15'


91°00'





10'


45'

30'









margin


in feet, msl
interval = 25 ft

TOLOGY AND
OLOGIC HISTORY
MISSISSIPPI VALLEY

ATION OF L SURFACE

JORADO SHEET


ASHLEY COUNTY
REHOUSE PARISH





15'


91°00'


Scale 1:250,000















30'


15'


33°00'




45'


30'








Scale 1:250,000






20 Statute Miles

20

25

30 Kilometres

10 Nautical Miles



Upland

**NOTE: Contour
Contour**

GEOMORPH
QUATERNARY GE
OF THE LOWER M

**CONFIGURATION
SUBALLUVIAL**


JACKSON-SHRE

45'

30'

15'


45



45'

30'


15'



15'

92°00'


45'





45'



30'


15'













Scale 1:250,000






45'

30'

Miles



NOTE: Contours in feet, msl
Contour interval = 25 ft

GEOMORPHOLOGY AND
QUATERNARY GEOLOGIC HISTORY
OF THE LOWER MISSISSIPPI VALLEY


CONFIGURATION OF SUBALLUVIAL SURFACE


ALEXANDRIA-NATCHEZ SHEET

31°00'


93°00'

45'






45'




45'

30'





30° 15' 91°00' 31°00'



45'

30'







et, msl
al = 25 ft

AND
C HISTORY
PI VALLEY

ON OF SURFACE

ROUGE SHEET









PLATE 24




91°00'
31°00'

45'

30'

45'


30'



30'

15'


90'



90°00'

45'


30'




30'


15'


89°00'




15' 89°00' 31°00'










Scale 1:250,000









15'












15'

91°00'
30'00"











91°00'
30°00'

45'

45'


30'








90°00'


45'

















90°00'



45'



Scale 1:250,000












CA. 1,300,000 TO
800,000 YRS B.P.

EARLY PLEISTOCENE STAGE


C





CA. 130,000 TO
120,000 YRS B.P.

SANGAMON STAGE


D







QUATE
OF THE



**PALE
RECO
FOR**






GEOMORPHOLOGY AND
QUATERNARY GEOLOGIC HISTORY
OF THE LOWER MISSISSIPPI VALLEY

PALEOGEOGRAPHIC RECONSTRUCTIONS FOR KEY PERIODS








CA. 7,000 TO
6,000 YRS B.P.

MIDDLE
HOLOCENE



Miss. River - Stage 4

Ark. River - Stage 4




GEOMORPHOLOGY AND
QUATERNARY GEOLOGIC HISTORY
OF THE LOWER MISSISSIPPI VALLEY

PALEOGEOGRAPHIC
RECONSTRUCTIONS
FOR KEY PERIODS




Miss. River - Stage 2
Ark. River - Stage 2




CA. 2,000 TO
1,000 YRS B.P.

LATE HOLOCENE












Miss. River - Stage 1
Ark. River - Stage 1





LE

LEGEND

-  Uplands
-  Alluvial Fan and Braid Belts
-  Active Valley Trains
-  Inactive Valley Trains
-  Active Mississippi River
Meander Belts & Tributaries
-  Inactive Meander Belts
-  Backswamp
-  Deltaic Plains and Estuaries
-  Undifferentiated Coastal Plain
-  Beaches / Barrier Islands
-  Floodplains & Active Meander
Belts of Small Streams

GEOMORPHOLOGY AND
QUATERNARY GEOLOGIC HISTORY
OF THE LOWER MISSISSIPPI VALLEY

PALEOGEOGRAPHIC RECONSTRUCTIONS FOR KEY PERIODS